LISELOTTE

Laura x Rodeo





General production advice ware potatoes

- High yield
- Yellow flesh and flesh colour
- High tuber count
- Firm cooking type
- Long dormancy



Characteristics

Table potato / Salad Market Cooking type A (firm) Moderately late Maturity Yield Very high Tuber size Medium large Tuber shape Long oval Number of tubers 14-16 Yellow Skin colour Yellow Flesh colour

No discoloration Flesh after cooking Shallowness of eyes Shallow eyes **Berries** No berries Dormancy period Long dormancy

Emergence Normal

Metribuzin sensitivity

Foliage development Good Internal bruising

Little potato disorder

Dry matter content

UWW

Drought resistance

Moderate sensitive

Sensitive

Moderate sensitive

20,2 % 370 7,5



Planting populations

Plant depth Normal Planting distance Row distance 75 cm

Size Plants/ha Distance 28/40 55.000 24 cm 40/50 45.000 30 cm

Depending of cultivation purpose.

We advise to always check the tuber number for an accurate calculation.





Resistances

Foliage blight 5,5 Tuber blight 7,5 Common scab 5 **PVY** 6,5

Powdery scab Susceptible Not susceptible Spraing Yntn tuber tolerance Not sensitive

PCN Resistance Ro1 & Ro4 7 8 Ro2,3

Wart disease Fysio 1 Resistant



- Adapt fertilization based on soil analysis.
- Nitrogen: 200 kg N/ha. Including soil supply.
- Phosphate according to standard advice.
- Potassium according to standard advice.









LISELOTTE

Laura x Rodeo



Pre-treatment and planting

- A heat treatment is necessary to open the eyes gradually, this advances the crop.
- Allow the seed to acclimatize to the local conditions before planting.
- For longer storage tuber treatment is advised to control silver scurf, Amistar can be used.
- Liselotte is suitable for all soil types, take care for a good soil structure, especially on more heavy soils.
- Avoid soils which are susceptible for common scab.



Growing attention points

- The initial development is good, with a moderately developing and good covering.
- The use of Sencor is recommended pre-emergence. In case of post-emergence, use the lowe-dose system.
- Enough potassium is recommended, because of bruising susceptibility.
- The variety has a good drought and heat resistance.



Haulm killing and harvest

- Take care of a good haulm killing.
- Allow a good hardening off of the tubers before harvest for a better skin set.
- Liselotte is somewhat susceptible to bruising.
- Reduce drop heights and avoid mechanical damage and bruising.



Storage

- Be sure of good attention to drying and wound healing.
- A cool and dry product prevents increase of Silver scurf.
- For a long storage period, refrigeration is required.
- Liselotte has a long dormancy and a good storability.



Agroplant seeks to ensure that the information above is up to date and accurate. Use of this information will be for the risk of the user. Agroplant cannot be held responsible for direct or indirect damage resulting from the use of this information.



