




### General production advice ware potatoes

- Early
- Suitable for French fries
- Good taste
- Excellent dry matter content



### Characteristics

Market	French fries
Cooking type	BC (fairly firm to floury)
Maturity	Early
Yield	High
Tuber size	Large
Tuber shape	Round oval
Number of tubers	8-10
Skin colour	Yellow
Flesh colour	Light yellow
Flesh after cooking	No discoloration
Shallowness of eyes	Rather shallow eyes
Berries	No berries
Dormancy period	Short dormancy
Emergence	Normal
Metribuzin sensitivity	Sensitive
Foliage development	Good
Internal bruising	Moderate sensitive
Little potato disorder	-
Dry matter content	20,7 %
UWW	380
Drought resistance	6



### Planting populations

Plant depth	Normal	
Planting distance	Row distance 75 cm	
Size	Plants/ha	Distance
28/35	50.000	27 cm
35/55	41.500	32 cm

Depending of cultivation purpose.

We advise to always check the tuber number for an accurate calculation.



### Resistances

Foliage blight	4,5
Tuber blight	6
Common scab	5
PVY	6
Powdery scab	Susceptible
Spraing	Not susceptible
Yntn tuber tolerance	Moderate sensitive
PCN Resistance Ro1 & Ro4	Resistant
Wart disease Fysio 1	Resistant



### Fertilization

- Adapt fertilization based on soil analysis.
- Nitrogen: 200 kg N/ha in 2 doses. Inclusive of soil supply.
- Phosphate according to standard advice.
- Potassium according to standard advice.
- Preferably in 2 doses.





## Civa x Provita

### Pre-treatment and planting

- Premiere has a short dormancy period.
- Heat treatment is recommended to open the eyes gradually, this advances the crop.
- Tubers and or soil treatments are advised to control Rhizoctonia.



### Growing attention points

- Premiere is sensitive to metribuzin, use only pre-emergence.
- Spraying against Late blight is advised.
- Tuber count is quite low and the tubers grow big easily.



### Haulm killing and harvest

- The maturing is early.
- Premiere can be delivered directly after harvesting.
- Allow a good hardening off of the tubers before harvest for a better skin set.
- Harvest with care to prevent damage.



### Storage

- Be sure of good attention to drying and wound healing.
- A cool and dry product prevents increase of Silverscurf.
- Premiere has a short dormancy and is not suitable for long storage.



Agroplant seeks to ensure that the information above is up to date and accurate. Use of this information will be for the risk of the user. Agroplant cannot be held responsible for direct or indirect damage resulting from the use of this information.